POOL ADJUSTMENT FORM (FOR SMYRNA SEWER ONLY) CONSOLIDATED UTILITY DISTRICT

Gallons Used: Any customer is eligible for a one (1) time pool adjustment per year. The adjustment will be made after the bill reflecting the pool usage has	Account Number:	Customer Number:
Water Meter Reading Start: End: Date Filled: Gallons Used: Any customer is eligible for a one (1) time pool adjustment per year. The adjustment will be made after the bill reflecting the pool usage has been billed. The adjustment will only be made on the sewer portion of your bill, not	Name:	Cycle #:
Date Filled: Gallons Used: Any customer is eligible for a one (1) time pool adjustment per year. The adjustment will be made after the bill reflecting the pool usage has been billed. The adjustment will only be made on the sewer portion of your bill, not	Service Address:	
Gallons Used: Any customer is eligible for a one (1) time pool adjustment per year. The adjustment will be made after the bill reflecting the pool usage has been billed. The adjustment will only be made on the sewer portion of your bill, not	Water Meter Reading Start: _	End:
Any customer is eligible for a one (1) time pool adjustment per year. The adjustment will be made after the bill reflecting the pool usage has been billed. The adjustment will only be made on the sewer portion of your bill, not	Date Filled:	
The adjustment will be made after the bill reflecting the pool usage has been billed. The adjustment will only be made on the sewer portion of your bill, not	Gallons Used:	
The adjustment will be made after the bill reflecting the pool usage has been billed. The adjustment will only be made on the sewer portion of your bill, not		
been billed. The adjustment will only be made on the sewer portion of your bill, not	Any customer is eligible for a one (1) time pool adjustment per year.	
	The adjustment will be made after the bill reflecting the pool usage has been billed.	

If you fail to take a reading before filling or are not sure how many gallons were used, we will use a <u>6 month</u> average to determine amount of adjustment.